



**2013**

MAKE WORK ENVIRONMENT BETTER



WORKBENCH 2013

**E-FLEX SMT MICROSYSTEMS, CO.LTD.**

RM. 1904, TUNG WAH MANSION

199-203 HENESSY RD.,

WAN CHAI, HONG KONG

Tel.: +852 2868 9169

Fax: +852 2868 2769

Email: [info@eflexsmt.com](mailto:info@eflexsmt.com)

[www.eflexsmt.com](http://www.eflexsmt.com)



**WORKBENCH**

**ELE<sup>DEFECTION</sup>ctrostatic**





# CATALOG

We reserve the right to make changes without prior notices

- 01-03** Basic workbench
- 04-04** Motorized workbench
- 05-10** Cabinet workbench
- 11-11** Worksurface
- 12-22** Accessories and esd workbench
- 23-27** Accessories and workshop workbench
- 28-28** Energy rail and pneumatic system
- 29-34** Drawer units and roller cabinets
- 35-38** Trolleys
- 39-40** Hooks and industrial screenings
- 41-41** Chairs
- 42-42** Plastic bins
- 43-46** Industrial cabinets
- 47-47** Industrial shelvings
- 48-48** FIFO
- 49-52** Multi-lines

all products fulfil the basic requirements of GJB3007-97 ESD-approval certification, quality certification of ISO 9001:2000 products is suitable for use in class 10,000 clean rooms, all of our steel products have a three-year warranty



all products provide with a healthy, productive and ergonomic environment, the basic adjustable workbench are designed for both seated work and standup work

professional specialists will provide you with a free layout design, you can find our local sales/agency networks's outlet in your area by sending email to:

[info@eflexmt.com](mailto:info@eflexmt.com)



The workbench is the central element of the workstation. A customize functional workstation can easily be developed to suit individual requirements and production demands using standard parts.

ESD workbenches are designed to prevent electro static sensitive products from static harm.

When a workstation is well planned and well equipped, workflow becomes easier and more efficient. Improving ergonomics and making it easier to tools in place.







Combination No.: 0101

### ESD Fixed Workbench

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Height: 760±10mm; D=Depth, W=Width

Fixed	D=600	D=750	D=900
W=800	151611100108	151611101208	151611102308
W=1000	151611103408	151611104508	151611105608
W=1200	151611106708	151611107808	151611108908
W=1500	151611110008	151611111108	151611112208
W=1800	151611113308	151611114408	151611115508
W=2250	151611116608	151611116608	151611117708



Combination No.: 0102

### ESD Adjustable Workbench

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Adjustable range: 695–1145mm (including 25mm worksurface)

Adjustable	D=600	D=750	D=900
W=800	151622100208	151622101308	151622102408
W=1000	151622103508	151622104608	151622105708
W=1200	151622106808	151622107908	151622109008
W=1500	151622110108	151622111208	151622112308
W=1800	151622113408	151622114508	151622115608
W=2250	151622116608	151622116708	151622117808



Combination No.: 0103

### ESD Reinforced Workshop Workbench

- ☀ Loading capacity: 650kg, 1000kg, 1500kg, evenly loaded
- ☀ Height: 760±10mm, 850mm

HF-duty	D=600	D=750	D=900
W=1000	152310100408	152310100508	152310100608
W=1200	152310100908	152310101108	152310101308
W=1500	152310101508	152310101608	152310101708
W=1800	152310102608	152310102708	152310102808
W=2250	152310103308	152310103808	152310103908

### ESD Mobile Workbench

- ☀ Loading capacity: 200kg when use ESD wheels ①, 350kg when use the reinforced adjustment screws ②, evenly loaded
- ☀ 4 sets of ESD wheels, two of which have brakes
- ☀ The enhanced adjustment screws is optional, Code No. 887701100400

Mobile	D=600	D=750	D=900
W=800	151631100408	151631101508	151631102008
W=1000	151631102608	151631103708	151631104208
W=1200	151631104808	151631105908	151631106408
W=1500	151631107008	151631108108	151631108608
W=1800	151631109208	151631110308	151631110808



Combination No.: 0104



Combination No.: 0201

- ☀ The range of e-FLEX products covers all solutions for workstation or storage systems in both ESD and workshop industry. The system includes a comprehensive range of workbenches, drawer units and cabinet, screening, trolleys and shelving. To supplement these furniture, a diverse selection of accessories is available to enable the development of a customised working environment.
- ☀ Thanks to modularity, the e-FLEX range enable each workstation to be adapted according to the special requirement of the task or the operator
- ☀ An ergonomically designed and measured workstation helps to promote good motion economy, to avoid harmful body movements to correct poor work posture, and also to make your working more pleasant and efficient
- ☀ In this catalogue, you will find a wide range of high quality e-FLEX products which can be used for creating a better working environment





Combination No.: 0301

### H1850 L-feet Uprights Workbench >

- Loading capacity: 80kg, evenly loaded
- By using extension uprights, the workbench could be linked together for maximum flexibility, stability and strength

Size (mm)	S-Side D400	S-Side D500	S-Side D600
M750 x 1850	151655160308	151655361008	151655564508
M900 x 1850	151655162408	151655361708	151655565508
2M750 x 1850	151655163008	151655363108	151655565908
2M900 x 1850	151655164108	151655363808	151655566908



Combination No.: 0302

### H1850 T-feet Uprights Workbench >

- Loading capacity: 160kg, evenly loaded
- T-shaped upright workbench could be used by two operators

Size(mm)	D-Sides D400	D-Sides D500	D-Sides D600
M750 x 1850	151658160308	151658361008	151658564508
M900 x 1850	151658162408	151658361708	151658565508
2M750 x 1850	151658163008	151658363108	151658565908
2M900 x 1850	151658164108	151658363808	151658566908



Combination No.: 0303

### ESD Medium-Duty Workbench >

- Loading capacity: 100kg, evenly loaded (Document holder is optional)
- An extension table can be fixed with a basic workbench

Size(mm)	D=750(Basic table)	D=750(With extension table)
W=1200	151641107808	151643107808
W=1500	151641111208	151643111208
W=1800	151641114508	151643114508

### Motor Workbench >

- Loading capacity: 160kg, evenly loaded
- Height range: 740-1240mm

Width	D=600	D=750	D=900
W=1000	151637230208	151637231308	151637231508
W=1200	151637232408	151637233508	151637234008
W=1500	151637234608	151637235708	151637236808
W=1800	151637237008	151637237908	151637239008

Description	Code No.
Controller	151637911800
1 Digital controller with memory function	151637912100



Combination No.: 0401

### Controller of Motor Workbench >

- Equipped with motor and controller
- Digital controller with memory function is optional



### Testing Workbench >

- A modular test and calibration system for work shops and laboratories
- e-FLEX test workbench offers a solution for a large variety of applications, such as calibration of pressure, temperature and electrical signals; electrical tests and measurements
- Available as a test workbench, desktop cabinet, e-FLEX offers efficient and ergonomic facilities for the maintenance of process instruments
- Maintenance testing of single and 3-phase motors; soldering of surface mounted and traditional components; safety high voltage testing; educational use, etc.

Description	Size(mm)	Code No.
Desktop cabinet 1530	1530 x 480 x 440	367584120100
Desktop cabinet 1830	1830 x 480 x 440	367584120800
Panel 50	50 x 200	367584121200
Panel 125	50 x 125	367584121500
Panel 200	50 x 200	367584122200
Panel 250	50 x 250	367584122500
Panel 300	50 x 300	367584122900



Combination No.: 0402





Combination No.: 0501

### ESD Workbench With Cabinet D-300

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Cabinet size: 500 × 650 × 720mm.  
Loading capacity of each layer: 35kg, opens 100%

Description	Size (mm)	Code No.
Workbench frame with cabinet D-300(R)	1500 × 750	151660700908
Workbench frame with cabinet D-300(L)	1500 × 750	151660711908
Workbench frame with cabinet D-300(R)	1800 × 750	151660701708
Workbench frame with cabinet D-300(L)	1800 × 750	151660712708

### ESD Workbench With Cabinet DK-051

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Cabinet size: 500 × 650 × 720mm.  
Loading capacity: 35kg/drawer, opens 100%

Description	Size (mm)	Code No.
Workbench frame with cabinet DK-051(L)	1500 × 750	151660733708
Workbench frame with cabinet DK-052(R)	1500 × 750	151660743708
Workbench frame with cabinet DK-051(L)	1800 × 750	151660734508
Workbench frame with cabinet DK-052(R)	1800 × 750	151660744508



Combination No.: 0502

### Workshop Workbench With Cabinet DK-051

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Cabinet size: 500 × 650 × 720mm.  
Loading capacity: 35kg/drawer, opens 100%

Description	Size (mm)	Code No.
Workshop workbench frame with cabinet DK-051(L)	1500 × 750	151662480900
Workshop workbench frame with cabinet DK-052 (R)	1500 × 750	151662490900
Workshop workbench frame with cabinet DK-051(L)	1800 × 750	151662481800
Workshop workbench frame with cabinet DK-052(R)	1800 × 750	151662491800



Combination No.: 0503

### Workshop Workbench With Cabinet D-300

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Cabinet size: 500 × 650 × 720mm
- ☀ Loading capacity of each layer: 35kg

Description	Size (mm)	Code No.
Workshop workbench frame with cabinet D-300(R)	1500 × 750	151662400900
Workshop workbench frame with cabinet D-300(L)	1500 × 750	151662441200
Workshop workbench frame with cabinet D-300(R)	1800 × 750	151662401800
Workshop workbench frame with cabinet D-300(L)	1800 × 750	151662442100



Combination No.: 0504



Combination No.: 0601

### ESD Workbench With Cabinets DK-052

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Loading capacity: 35kg/drawer, opens 100%

Description	Qty.	Code No.
Workshop workbench frame 1500 × 750 with cabinet D-300(R)	1	151662490900
ESD worksurface 1530 × 750 × 50 (grey top yellow edge)	1	281600109028
Upright tube 3 × H996	1	361415211600
ESD Upper shelf-enhanced brackets (grey top grey edge) 1530 × 380	1	330311004518
Document panel M750 × 390 ESD (blue)	1	363202104358
Suspension panel M750 × 390 (grey)	1	364101101108
2M750 Power Rail (Single-sided)	1	520222020200

### ESD Workbench With Cabinet B-307

Description	Qty.	Code No.
Workbench frame 1500 × 700 with cabinet B-307(R)	1	151660310808
ESD worksurface 1530 × 700 × 25 (grey top yellow edge)	1	281601108928
Upright module M750 × 1359	1	361426111100
Standard light/balancer rail M750	1	361716100300
Raster structure light 2 × 36W (840 white cold colour)	1	361816104500
Suspension rail M750 ESD	4	362611100708
Plastic container (blue) 140 × 105 × 75	7	362921104350
Plastic container (blue) 190 × 105 × 75	14	362921105050
Plastic container (blue) 220 × 140 × 125	5	362921105750



Combination No.: 0602

### Workshop Workbench With Cabinet H-502

Description	Qty.	Code No.
Workshop workbench frame 2250 × 750 with cabinet H-502 and workshop light rail	1	361816104500
Plastic worksurface with front stainless steel edge 2280 × 750 × 50	1	287015112200
Upright tube 3M750 × 1590	1	361428121000
ERGO light/balancer rail 3M750	1	361723108700
Raster structure light 2 × 36W (840 white cold colour)	1	361816104500
Perforated tool cabinets M750 × 255 × 900	1	367575110100
Suspension rail M750 ESD	12	362611100708
Plastic container (blue) 140 × 105 × 75	28	362921104350
Plastic container (blue) 190 × 105 × 75	28	362921105050
Plastic container (blue) 220 × 140 × 125	20	362921105750



Combination No.: 0603





Combination No.: 0701

### ESD Workbench With Two Cabinets >

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Cabinet size: 500 × 650 × 720mm
- ☀ Loading capacity: 35kg/drawer; opens 100%

Description	Size (mm)	Code No.
Workbench frame with cabinets DK-051/D-300	1800 × 750	151663632300
Workbench frame with cabinets DK-051/D-300	2250 × 750	151663633400
Workbench frame with cabinets D-300/DK-052	1800 × 750	151663652300
Workbench frame with cabinets D-300/DK-052	2250 × 750	151663653400

### ESD Workbench With Cabinets B-307 >

Description	Qty.	Code No.
Workbench frame with cabinets 2 × B-307 1500 × 700	1	151663010308
ESD worksurface 1530 × 700 × 25 (grey top yellow edge)	1	281601108928
Plastic keyboard tray	1	365301160100
Upright tube 3 × H996	1	361415211600
ESD upper shelf+brackets(grey top yellow edge)1530 × 380	1	331622004628
3-Proofing lights 2 × 18W 735 × 160 × 80	1	361823100200
Perforated back panel M750 × 390 ESD (blue)	2	363802103158



Combination No.: 0702

### Workshop Workbench With Two Cabinets >

- ☀ Loading capacity: 500kg, evenly loaded
- ☀ Cabinet size: 372 × 585 × 740mm. Loading capacity: 35kg/drawer, opens 100%

Description	Size (mm)	Code No.
Workbench frame with cabinets 2 × B-307	1500 × 700	151663010308
Workbench frame with cabinets 2 × B-307	1800 × 700	151663011208
Workbench frame with cabinets 2 × B-307	2250 × 700	151663012108



Combination No.: 0704

### ESD Workbench With Cabinets B-307 >

Description	Qty.	Code No.
Workbench frame with cabinets 2 × B-307 1500 × 700	1	151663010308
ESD worksurface 1530 × 700 × 25 (grey top yellow edge)	1	281601108928
ESD Rotating base 400	1	365801170108
Plastic keyboard tray	1	365301160100
Upright tube 2M750 × 1590	1	361428118800
ERGO light/balancer rail 2M750	1	361723107300
Raster structure light 2 × 36W (840 white cold colour)	1	361816104500
Document panel M750 × 390 ESD (grey)	2	363501101208
Steel shelf+brackets M750 × 300	2	362001100400
Suspension rail M750 ESD	3	362611100708



Combination No.: 0801

### ESD Workbench With Cabinets D-300 >

- ☀ Loading capacity: 500kg, evenly loaded

Description	Qty.	Code No
Workbench frame 1800 × 750 with 2 × cabinets D-300	1	151663600800
ESD worksurface 1830 × 750 × 25 ( grey top grey edge)	1	281611112218
Upright tube 2M900 × 1590	1	361428819900
ERGO light/balancer rail 2M900	1	361723108000
3-Proofing lights 2 × 36W 1270 × 160 × 80	1	361816108900
Back panel M900 × 390 ESD (grey)	1	363201102908
Back panel M900 × 390 ESD (blue)	1	363202105758
Steel shelf+brackets M900 × 300	2	362001101800
Suspension rail M900 ESD	3	362611101408
Plastic container (blue) 140 × 105 × 75	8	362921104350
Plastic container (red) 140 × 105 × 75	8	362901100840
ESD Plastic container (black) 140 × 105 × 75	8	362941107868
2M900 Power rail (Single-sided)	1	520222060200





## Cabinets Workbench >

- The size of Workbench: 1200 x 750 x 790mm
- Loading capacity: 500kg,800kg,evenly loaded
- Cabinet size: 550 x 715 x 660mm; Loading capacity of each layer: 35kg,opens 100%
- To reach the height of 865mm, a base of cabinets workbench is optional

Description	Size (mm)	Code No.(W/O Uprights)	Code No.(With Uprights)
Workbench Frame with cabinets DK-051/DK-052	1000 x 750	151664401100	151664501100
Workbench Frame with cabinets D-300/DK-051	1000 x 750	151664402200	151664502200
Workbench Frame with cabinets D-300/DK-052	1000 x 750	151664403300	151664503300



Combination No.: 0901

Combination No.: 0902

Combination No.: 0903

## Cabinets Workbench With Four Cabinets >

- The size of Workbench: 2280 x 750 x 790mm. Loading capacity:650kg,1000kg,evenly loaded
- Cabinet size: 550 x 715 x 660mm. Loading capacity of each layer: 35kg,opens 100%

Description	Size (mm)	Code No.(W/O Uprights)	Code No.(With Uprights)
Workbench Frame with cabinets 4 x D-300	2000 x 750	151667270508	151667610508
Workbench Frame with cabinets 2 x DK-051/2 x DK-052	2000 x 750	151667272508	151667613608
Workbench Frame with cabinets 2 x D-300/DK-051/DK-052	2000 x 750	151667272208	151667613208



Combination No.: 0904

Combination No.: 0905



Combination No.: 1001

## Cabinets Workbench With Three Cabinets >

- The size of Workbench: 1530 x 750 x 790mm
- Loading capacity: 650kg,1000kg,evenly loaded
- Cabinet size: 500 x 650 x 720mm. Loading capacity of each layer: 35kg,opens 100%
- To reach the height of 865mm, a base of cabinets workbench is optional


Description	Size(mm)	Code No.(W/O Uprights)	Code No.(With Uprights)
Workbench Frame with cabinets 3 x D-300	1500 x 750	151664801100	151665200100
Workbench Frame with cabinets 2 x D-300/DK-051	1500 x 750	151664802200	151665201100
Workbench Frame with cabinets 2 x DK-051/D-300	1500 x 750	151664803300	151665202100
Workbench Frame with cabinets DK-051/D-300/DK-052	1500 x 750	151664805500	151665203100



Combination No.: 1002

Combination No.: 1003






### Workshop Worksurface

- Thickness of workshop worksurface is 50mm
- The steel surface is made of zinc steel plate with a thickness of 1.5mm or 2.0mm, coated with rust-proof painting
- Grey plastic surface with a galvanized steel moulding in the front edge as optional or blue plastic throughout edges, Plywood/chipboard core
- Lengths available: 1000, 1200, 1530, 1830, 2000 or 2280mm, depth 750 or 900mm

Description	1000 x 750	1530 x 750	1530 x 900	1830 x 750	1830 x 900	2280 x 750
1 Oak worksurface	289339100400	289339101500	289339105900	289339102600	289339107000	289339103700
2 Stainless steel	288231130100	288231130400	288231131600	288231130700	288231131900	288231131000
3 Zinc steel	287117220200	287117220500	287117223500	287117220800	287117223800	287117221100
4 Plastic/ Stainless steel	287015108900	287015110000	287015114400	287015111100	287015115500	287015112200
5 Plastic/ Blue edge	287011100150	287011101250	287011105650	287011102350	287011106750	287011103450



### ESD Worksurface

- Thickness of ESD worksurface is 25mm
- Color of worksurface: grey or green

Description	1530 x 750	1530 x 900	1830 x 750	1830 x 900	2280 x 750
A Esd steel	287116002100	287116007800	287116002700	287116008400	287116003900
B Grey top yellow edge	281600109028	281600110128	281600112328	281600113428	281600117828
C Grey top grey edge	281611108918	281611110018	281611112218	281611113318	281611117718
D Green top grey edge	281622109138	281622110238	281622112438	281622113538	281622117938

### ESD Workbench With Drawer Unit SD-100

- Loading capacity: 500kg, evenly loaded

Description	Qty.	Code No.
Fixed ESD workbench frame 1500 x 750	1	151611111108
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Drawer bracket D750	1	367012101200
Drawer unit SD-100 372 x 486 x 195 ( Opens 100% )	1	366723303400
Plastic keyboard tray	1	365301160100
CPU holder	1	365601181200
Upright tube 3 x H996	1	361415211600
ESD Upper Shelf+brackets(grey top yellow edge)1530 x 380	1	331622004628
3-Proofing light 2 x 18W 735 x 160 x 80	1	361816105600
Back panel M750 x 390 ESD (grey)	2	363201101508



Combination No.: 1201

### ESD Workbench With Drawer Unit SD-200

- Loading capacity: 500kg, evenly loaded,
- Loading capacity: 35kg/drawer, opens 100%

Description	Qty.	Code No.
Adjustable ESD workbench frame 1500 x 750	1	151622111208
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Drawer bracket D750	1	367012101200
Drawer unit SD-200 372 x 486 x 346 ( Opens 100% )	1	366723304500
Upright tube M750 x 1359	1	361426111100
ERGO light/balancer rail M750	1	361723105900
Raster structure light 2 x 36W (840 white cold colour)	1	361816104500
Steel shelf+brackets M750 x 300	3	362001100400
ESD divider pair for shelves D300	1	362001103208
Back panel M750 x 390 ESD (grey)	1	363202104358
LCD holder with double arm	1	367548100100
Wristband junction box	1	366601142008



Combination No.: 1202

### Workshop Workbench With Drawer Unit H-301

- Loading capacity: 650kg, evenly loaded
- Loading capacity: 100kg/drawer, opens 80%

Description	Qty.	Code No.
Workshop workbench frame 1500 x 750 x 720 with workshop fixing frame 152322101700		
PVC worksurface with front stainless steel edge 1530 x 750 x 50	1	287015110000
Workshop drawer units H-301 550 x 715 x 370	1	366744100200
Upright module 2M750 x 1359	1	361426113300
Standard light/balancer rail M750	1	361716101700
Raster structure light 2 x 36W (840 white cold colour)	1	361816104500
Steel shelf+brackets M750 x 300	2	362001100400
Perforated Back Panel M750 x 390 ESD (blue)	1	363802103158
Perforated Back Panel M750 x 390 ESD (grey)	1	363801101008
Tool panel with single arm	1	367539101600
Suspension rail M750 ESD	2	362611100708
Plastic container (red) 140 x 105 x 75	6	362901100840
Plastic container (red) 190 x 105 x 75	6	362901101540



Combination No.: 1203





### 1 x M Upright Module

1 x M	M750	M900
H996	361424105600	361424106700
H1359	361426111100	361426112200
H1590	361428116600	361428117700



### 2 x M Upright Module

2 x M	2M750	2M900
H996	361424107800	361424108900
H1359	361426113300	361426114400
H1590	361428118800	361428819900



### 3 x M Upright Module

3 x M	3M750
H996	361424110000
H1359	361426115500
H1590	361428121000



### Spotlight

Description	Cold light	Warm light
1 x 36W	361816112300	361816112800



### 3-Proofing Light

Description	Code No.
1 x 36W	361816107800
2 x 18W	361816105600



### Raster Structure Light

Description	Cold light	Warm light
2 x 36W	361816104500	361816105000



Standard



ERGO

### Light/Balancer Rail

- Loading capacity: 15kg
- Depth adjustable between 525-715mm
- A tool balancer can be attached to either horizontal rail

Size	Standard	ERGO Series
M750	361716100300	361723105900
M900	361716101000	361723106600
2M750	361716101700	361723107300
2M900	361716102400	361723108000
3M750	361716103100	361723108700

Size	Standard	ERGO Series
M750/1500	361716103800	361723109400
M900/1800	361716104500	361723110100
M750/2250	361716105200	361723110800



Combination No.: 1401

### ESD Workbench With Raster Structure Light 2 x 36W

Description	Qty.	Code No.
Adjustable ESD workbench frame 1500 x 750	1	151622111208
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Drawer bracket D750	1	367012101200
Drawer unit SD-200 372 x 486 x 346 ( Opens 100% )	1	366723304500
Upright module M750 x 1590	1	361428116600
Standard light/balancer rail M750	1	361716100300
Raster structure light 2 x 36W (840 white cold colour)	1	361816104500
Steel shelf+brackets M750 x 300	2	362001100400
Back panel M750 x 390 ESD (blue)	1	363202104358
Document panel M750 x 390 ESD (grey)	1	363501101208
ESD auxiliary top, grey top grey edge (right)	1	367511101308
Suspension rail with single arm ESD	1	362622102100
Suspension rail M750 ESD	1	362611100708
Plastic container (blue) 140 x 105 x 75	3	362921104350
Plastic container (blue) 190 x 105 x 75	7	362921105050
Wristband junction box	1	366601142008

### ESD Workbench With 3-Proofing Light 2 x 30W

Description	Qty.	Code No.
Adjustable ESD workbench frame 1500 x 750	1	151622111208
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Upright module 2M750 x 1359	1	361426113300
Standard light/balancer rail 2M750	1	361716101700
3-Proofing Light 2 x 30W 1040 x 160 x 80	1	361816105600
Suspension rail M750 ESD	2	362611100708
ESD Upper shelf+enhanced brackets(grey top grey edge)1530 x 380	1	330211003718
Perforated back panel M750 x 390 ESD (grey)	1	363801101008
Perforated back panel M750 x 390 ESD (blue)	1	363802103158
Drawer unit SD-200 372 x 486 x 346 ( Opens 100% )	1	366723704500
Drawer bracket D750	1	367012101200
Wrist strap + wristband junction box	1	366601140108
2M750 power rail single-sided	1	520222020200



Combination No.: 1402







### ESD Adjustable Shelf

- Loading capacity: 100kg/150kg (2 pairs of brackets)
- Angle range: 0-25 degrees

Description	Size(mm)	Code No.
M750 (1 pair)	M750 x 650	362301100508
M750 (2 pairs)	M750 x 650	362301101908
M900 (1 pair)	M900 x 650	362301101208
M900 (2 pairs)	M900 x 650	362301102608



### ESD Divider Pair For Shelves

- Fitted on both ends of the steel shelf to prevent objects slide

Size(mm)	Code No.
D=300	362001103208
D=400	362001103908



### ESD Upper Shelf

- Loading capacity: 100kg

Size(mm)	Brackets	Reinforced Brackets
M750 x 380	331611000118	330311000118
M900 x 380	331611001218	330311001218
2M750 x 380	331211003718	330211003718
2M900 x 380	331211003918	330211003918



### ESD Auxiliary Top

- Loading capacity: 40kg


Description	Size(mm)	Code No.
Grey top grey edge (L)	500 x 400	367511100608
Grey top grey edge (R)	500 x 400	367511101308
Green top grey edge (L)	500 x 400	367511102038
Green top grey edge (R)	500 x 400	367511102738
Grey top yellow edge (L)	500 x 400	367511103008
Grey top yellow edge (R)	500 x 400	367511103108



### ESD Steel Shelf + Brackets

- Loading capacity: 50kg. Can be mounted straight or at a downward angle of 15° New reinforced design

Size(mm)	Code No.	Size(mm)	Code No.
M750 x 300	362001100400	M900 x 300	362001101800
M750 x 400	362001101100	M900 x 400	362001102500



### Bench Vice

- Can be fixed on 50mm thickness worksurface

Description	Size(mm)	Code No.
6" Bench Vice With Anvil	150	368810222260
6" Bench Vice	150	368810222460
8" Bench Vice With Anvil	200	368810222330
8" Bench Vice	200	368810222480

### ESD Workbench With Reinforced Upper shelf


Description	Qty.	Code No.
Adjustable ESD workbench frame 1500 x 750	1	151622111208
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Upright tube 3 x H996	1	361415211600
ESD upper shelf+reinforced brackets 1530 x 380	1	330311004518
3-Proofing light 2 x 30W 1040 x 160 x 80	1	361823101300
CPU holder	1	365601181200
Plastic keyboard tray	1	365301160100
Drawer unit SD-200 372 x 486 x 346 (opens 100%)	1	366723704500
Drawer bracket D750	1	367012101200
Wrist strap + wristband junction box	1	366601140108
2M750 Power rail single-sided	1	520222020200



### ESD Workbench With Adjustable Shelves

Description	Qty.	Code No.
Adjustable ESD workbench frame 1500 x 750	1	151622111208
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Drawer bracket D750	1	367012101200
Drawer unit SD-200 372 x 486 x 346 (opens 100%)	1	366723304500
Upright module 2M750 x 1359	1	361426113300
Standard light/balancer rail 2M750	1	361716101700
Raster structure light 2 x 36W	1	361816104500
Back panel M750 x 390 ESD (grey)	2	363201101508
Adjustable shelf M750 x 650 ESD	2	362301100508
Document holder with double arm A4	1	367522102100
Balancer 1.5-3.0 kg	1	367566112900
Wristband junction box	1	366601142008

Combination No.: 1602







### Documents Panel >

Fitted with bottom support(blue)

Description	Size(mm)	Blue	Grey
M750	M750 x 240	363521104558	363501100108
M750	M750 x 390	363521105658	363501101208
M900	M900 x 240	363521106758	363501102308
M900	M900 x 390	363521107858	363501103408



### Back Panel >

Painted steel plate, reinforced with folded edges and supports

Description	Size(mm)	Blue	Grey
M750	M750 x 240	363202103658	363201100808
M750	M750 x 390	363202104358	363201101508
M900	M900 x 240	363202105058	363201102208
M900	M900 x 390	363202105758	363201102908



### Perforated Back Panel >

Accommodates for hooks

Description	Size(mm)	Blue	Grey
M750	M750 x 240	363802102458	363801100308
M750	M750 x 390	363802103158	363801101008
M900	M900 x 240	363802103858	363801101708
M900	M900 x 390	363802104558	363801102408



### Suspension Panel >

Accommodates for plastic box

Description	Size(mm)	Blue	Grey
M750	M750 x 390	364121102558	364101101108
M900	M900 x 390	364121103258	364101101808

### Cable Duct >

Fitted to upright tubes, hide wires and cables

Description	Size(mm)	Code No.
M750型	M750 x 365	364401101300
M900型	M900 x 365	364401102000



Combination No.: 1801

### Air-Filter System >

e-FLEX Air-Filter system can effectively filter the impurity in the harmful gas, to 0.3 micron filtration efficiency is 99.997% of the particles, purifying environment, protection of operator

Specification	Model	Motor Pressure	Max Flowrate	System Flowrate	Wattage	Sound Rating
Single Arm	AS-1	3200Pa	190m <sup>3</sup> /h	150m <sup>3</sup> /h	135W	52dB
Double Arms	AS-2	3200Pa	190m <sup>3</sup> /h	150m <sup>3</sup> /h	135W	52dB

Specification	Control	Size(mm)	Code No.
Single Arm	Intelligent control, Automatic speed regulation, Sound and light alarm	285 x 280 x 340	367599112500
Double Arms	Intelligent control, Automatic speed regulation, Sound and light alarm	285 x 280 x 340	367599112100





### LCD Holder

Loading capacity: 15kg. Code No.: 367548100100



### LCD Holder+Keyboard Tray

Loading capacity: 15kg. Code No.: 67548101200



### Suspension Rail

Loading capacity: 30kg. Can be mounted straight or at a downward angle

Size(mm)	Code No.
M750	362611100708
M900	362611101408



### FIFO For Plastic Box

Loading capacity: 50kg. Angle range:0-20 degrees

Size(mm)	3 Lines	4 Lines	5 Lines
M750	362630103500	362630104900	
M900	362630104200	362630105600	362630106300



### ERGO Suspension Rail

Loading capacity: 40kg. Angle range:0-60 degrees

Size(mm)	Code No.
M750	362649100708
M900	362649101408



### Box Stand

Loading capacity: 15kg

Description	Size(mm)	Code No.
With Single arm	560 x 175 x 125	367530103600
With double arm	560 x 175 x 125	367530104200



### Suspension Rail W/Arm

Loading capacity: 15kg

Description	Size(mm)	Code No.
With Single arm	315 x 72	362622102100
With double arm	315 x 72	362622102800



### ESD Rotating Base

Loading capacity: 30kg

Description	Diameter(mm)	Code No.
ESD Rotating base	400	365801170108
Non-ESD rotating base	400	365801171200



Combination No.: 2001

### ESD Workbench With Suspension Rails

- Loading capacity: 500kg, evenly loaded
- Loading capacity: 35kg/drawer, opens 100%

Description	Qty.	Code No.
Adjustable ESD workbench frame 1500 x 750	1	151622111208
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Drawer bracket D750	1	367012101200
Drawer unit SD-200 372 x 486 x 346 ( Opens 100% )	1	366723704500
ESD rotating base 400	1	365801170108
Upright tube 2M750 x 1590	1	361428118800
ERGO light/balancer rail 2M750	1	361723107300
Raster structure light 2 x 36W (840 white cold colour)	1	361816104500
Steel shelf+brackets M750 x 300	2	362001100400
Adjustable shelf M750 x 650 ESD	1	362301100508
Suspension rail M750 ESD suspension Rail	5	362611100708
Plastic container (blue) 140 x 105 x 75	14	362921104350
Plastic container (blue) 190 x 105 x 75	14	362921105050
Plastic container (blue) 220 x 140 x 125	5	362921105750
Balancer 1.5-3.0 kg	1	367566112900
Wristband junction box	1	366601142008
Chap board + hooks with plug (German standard)	1	364701106200
ESD adjustable footrest 560 x 390 x 320	1	366005190108







### M750 Tool Cabinet

- Attached to the perforated uprights with hooks Equipped with a lock
- Used to store all sorts of items, with steel shelf, which height is adjustable
- Can be equipped with all various kinds of hooks
- The large capacity storage space and to common a neat working environment

Description	Size(mm)	Code No.
1 Suspension tool cabinet	M750 x 255 x 900	367575111500
2 Perforated tool cabinet	M750 x 255 x 900	367575110100
3 File cabinet with two shelves	M750 x 255 x 900	367575110800
4 Small file cabinet	M750 x 255 x 440	367575110600
5 Sliding door cabinet	M750 x 255 x 440	367575112600



### Monitor Cabinet A / Adjustable Footrest B Wrist strap C

- A 17" or 19" LCD and its keyboard can be locked when Monitor cabinet is off
- Wrist strap contains 1MΩ with resistance
- Angle range of footrest:0-50 degrees

Description	Size(mm)	Code No.
Monitor cabinet A	560 x 520	366301110100
Wrist strap + Wristband junction box B		366601140108
Adjustable footrest C	720 x 290	366001190100



Combination No.: 2201

### ESD Adjustable Workbench With Monitor Cabinet

- Loading capacity: 500kg, evenly loaded
- Loading capacity: 35kg/drawer, opens 100%

Description	Qty.	Code No.
Adjustable ESD workbench frame 1500 x 750	1	151622111208
ESD worksurface 1530 x 750 x 25(grey top grey edge)	1	281611108918
Drawer bracket D750	1	367012101200
Drawer unit SD-200 372 x 486 x 346 (Opens 100%)	1	366723704500
Upright tube 2M750 x 1590	1	361428118800
ERGO light/balancer rail 2M750	1	361723107300
Raster structure light 2 x 36W (840 white cold colour)	1	361816104500
Monitor cabinet	1	366301110100
Back panel M750 x 390 ESD (blue)	2	363202104358
Document panel M750 x 390 ESD (grey)	2	363501101208
Steel shelf+brackets M750 x 300	4	362001100400
Wristband junction box	1	366601142008
Chap board + hooks with plug (German standard)	1	364701106200

### ESD Workbench With Tool Cabinet

- Loading capacity: 500kg, evenly loaded
- Loading capacity: 35kg/drawer, opens 100%

Description	Qty.	Code No.
Adjustable ESD workbench frame 1500 x 750	1	151622111208
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Drawer bracket D750	1	367012101200
Drawer unit SD-200 372 x 486 x 346 (Opens 100%)	1	366723704500
ESD rotating base 400	1	365801170108
Upright tube 2M750 x 1590	1	361428118800
ERGO light/balancer rail 2M750	1	361723107300
Raster structure light 2 x 36W (840 white cold colour)	1	361816104500
File cabinet with two shelves M750 x 255 x 900	1	367575110800
Steel shelf+brackets M750 x 300	2	362001100400
Document panel M750 x 390 ESD (grey)	1	363501101208
Suspension rail M750 ESD	2	362611100708
Plastic container (blue) 140 x 105 x 75	7	362921104350
Plastic container (blue) 190 x 105 x 75	7	362921105050
Balancer 1.5-3.0 kg	1	367566112900
Wristband junction box	1	366601142008



Combination No.: 2202





No.: 152347100508

### Steel-top Workbench

- 2.0mm thickness of steel-worksurface, coated with durable painting
- The drawer is equipped with durable bearing rails.

Description	W x D x H (mm)	Qty.	Loading Capacity(kg)
Workbench	1500 x 750 x 865	1	250
Drawer H145	390 x 450 x 145	2	50



No.: 152347101608

### Steel-top Maintenance Workbench


- 2.0mm thickness of steel-top, coated with durable painting
- The drawer is equipped with BBS rails

Description	W x D x H (mm)	Qty.	Loading Capacity(kg)
Workbench	1500 x 750 x 865	1	300
Drawer H80	502 x 520 x 80	3	40
Drawer H130	502 x 520 x 130	2	80

### ESD Discharge Workbench

- Meet with IEC61000-4-2 and GB/T17626.2 ESD Discharge certifications
- Also used for the group of pulse and attenuation of the shock waves

Description	Size(mm)	Code No.
ESD discharge workbench	1700 x 900 x 800	153011142200



Combination No.: 2303

### Workshop Workbench With Stainless Steel Worksurface

- Loading capacity: 650kg, evenly loaded

Description	Qty.	Code No.
Adjustable workshop workbench frame 1500 x 750 x (700-950)	1	152322511700
Stainless steel worksurface 1.5mm 1530 x 750 x 50	1	288231130400
Upright module 2M750 x 780	1	361422102300
Perforated back panel M750 x 390 ESD (grey)	1	363801101008
Perforated back panel M750 x 390 ESD (blue)	1	363802103158
H-501 workshop drawer cabinet 550 x 715 x 660	1	366875103400



Combination No.: 2401



Combination No.: 2402

### Workshop Workbench With Plastic Worksurface

Description	Qty.	Code No.
Adjustable workshop workbench frame 1500 x 750 x (700-950)	1	152322511700
Plastic worksurface with Front stainless steel edge 1530 x 750 x 50	1	287015110000
Non-ESD rotating base 400	1	365801171200
Drawer unit SD-200 372 x 486 x 346 (opens 100%)	1	366723304500
Upright tube 2M750 x 1590	1	361428118800
ERGO light/balancer rail 2M750	1	361723107300
3-Proofing light 1 x 36W 1270 x 100 x 80	1	361816107800
Suspension rail M750 ESD	6	362611100708
Adjustable shelf M750 x 650 ESD	2	362301100508
Plastic container (blue) 140 x 105 x 75	14	362921104350
Plastic container (blue) 190 x 105 x 75	14	362921105050
Plastic container (blue) 220 x 140 x 125	10	362921105750



Combination No.: 2403

### Workbench With Cabinets H-502

- Loading capacity: 650kg,1000kg,evenly loaded
- Cabinet size: 550 x 715 x 660mm
- Loading capacity of each layer: 100kg

Description	Qty.	Code No.
Workbench frame with cabinets 2 x H-502 and workshop fixing frame	1	151664202808
Plastic worksurface with front stainless steel edge 1830 x 750 x 5	1	287015111100
Upright tube 2M900 x 1359	1	361426114400
Standard light/balancer rail 2M900	1	361716102400
Raster structure light 2 x 36W (840 white cold colour)	1	361816104500
Perforated Back Panel M900 x 390 ESD (grey)	2	363801102408
Perforated Back Panel M900 x 390 ESD (blue)	2	363802104558
Suspension rail M900 ESD	2	362611101408
Plastic container (red) 140 x 105 x 75	17	362901100840
Balancer 1.5-3.0 kg	1	367566112900





Combination No.: 2501

### Workshop Workbench With Bench Vice

- There are two basic types of workbenches for workshop: Reinforced workshop workbench (with one pair of workshop legs, support rear and fixing frame) and standard workshop workbench (with one pair of workshop legs only)
- The loading capacity of standard workshop workbench: 500–750kg
- The loading capacity of Reinforced workshop workbench: 800–1600kg

### Workshop Workbench With Perforated Back Panels

Description	Qty.	Code No.
Workshop workbench frame 1500 x 750 x 720 with workshop fixing frame	1	152322101700
Plastic worksurface with front stainless steel edge	1	287015110000
Workshop drawer cabinet H-301 550 x 715 x 370	1	366744100200
Upright module 2M750 x 1359	1	361426113300
Standard light/balancer rail 2M750	1	361716101700
Raster structure light 2 x 36W (840 white cold colour)	1	361816104500
Steel shelf+brackets M750 x 300	2	362001100400
Perforated Back Panel M750 x 390 ESD (blue)	1	363802103158
Perforated Back Panel M750 x 390 ESD (grey)	1	363801101008
Tool panel with single arm	1	367539101600
Suspension rail M750 ESD	2	362611100708
Plastic container (red) 140 x 105 x 75	6	362901100840
Plastic container (red) 190 x 105 x 75	6	362901101540



Combination No.: 2502

### Workshop Workbench With Perforated Tool Cabinet

- Loading capacity: 650kg,1000kg,evenly loaded
- Height: 770mm,850mm;D=Depth,W=Width,H=Height

Standard	D=750 H=720	D=900 H=720	D=750 H=800	D=900 H=800
W=1000	152322100100	152322100900	152322310100	152322310900
W=1500	152322101700	152322102500	152322311700	152322312500
W=1800	152322103300	152322104100	152322313300	152322314100
W=2250	152322104900	152322107800	152322314900	152322315700



Combination No.: 2503



Combination No.: 2601

### Reinforced Workshop Workbench With ESD Worksurface

Description	Qty.	Code No.
Reinforced workshop workbench frame 1500 x 750 x 735	1	152310101608
ESD worksurface 1530 x 750 x 25(grey top yellow edge)	1	281600109028
Upright module 2M750 x 1359	1	361426113300
Standard light/balancer rail 2M750	1	361716101700
Raster structure light 2 x 36W (840 white cold colour)	1	361823101300
Suspension rail M750 ESD	2	362611100708
Steel shelf + brackets M750 x 400	2	362001101100
Suspension panel M750 x 390 (grey)	1	364101101108
Suspension panel M750 x 390 (blue)	1	364121102558
Drawer unit SD-200 372 x 486 x 346 (Opens 100%)	1	366723704500
Drawer bracket D750	1	367012101200
2M750 power rail, single-sided	1	520222020200







### Document Holder

Description	Size(mm)	Single-Arm	Double-Arms
A4 document	290 x 330	367522101400	367522102100
A3 document	418 x 330	367522102800	367522103500




### Container For Pick Up

Description	Size(mm)	Code No.
Container for pick up	560 x 165 x 355	367530101500



### Document Holder With Double Arms

- Including 10 Document folders
- Red, Yellow, Blue, Grey, Black, 5 colors can be chosen
- Code No.: 367522104900



### Tool Plate

Description	Size(mm)	Code No.
Single arm	268 x 305	367539101600
Double arms	268 x 305	367539102300



### Power Rail

- According to the size of the worksurface, choose the different size of power rail



### CPU Holder

- Loading capacity: 30kg, width adjustable range: 180-225mm
- Standard CPU holder, code No.: 365601181200
- CPU holder of motor workbench, code No.: 365601180160



### Plastic Keyboard Tray

- Loading capacity: 10kg
- Code No.: 365301160100



### ESD Wooden Keyboard Tray

- Loading capacity: 10kg
- Code No.: 365302162300



### Steel Keyboard Tray

- Loading capacity: 10kg
- Code No.: 365301162300

### Energy Rail And Pneumatic System

- Energy rail can be attached to perforated tubular frames vertically or horizontally on the table frame
- Energy rail box can be equipped with creepage protector, outlets, indicator lights, emergency switch, quick-change connectors, etc.
- Double-sided of energy rail box is designed for back to back workbenches which share one set of perforated uprights

Description	Size(mm)	Code No.
1 Chap board + hooks with plug	250 x 60 x 45	364701101200
2 Chap board + fixing sets with plug	250 x 60 x 45	364701102300

Description	Size(mm)	Code No.
4 M750 power rail single-sided	720 x 60 x 100	521611100100
M750 power rail double-sided	720 x 60 x 100	521622100200
M900 power rail single-sided	870 x 60 x 100	521611101200
M900 power rail double-sided	870 x 60 x 100	521622101300



Combination No.: 2801







### ESD Drawer Units S-Series

☀ Loading capacity: 20kg/drawer, opens 80%

Description	Size(mm)	Code No.
Drawer unit S-100	350 x 450 x 148	366723100108
Drawer unit S-200	350 x 450 x 220	366723101208
Drawer unit S-150	350 x 450 x 470	366723102308



### ESD Drawer Units SD-Series

☀ Loading capacity: 35kg/drawer, opens 100%  
☀ Divider of drawer is optional

Description	Size(mm)	Code No.
Drawer unit SD-100	372 x 486 x 195	366723303400
Drawer unit SD-200	372 x 486 x 346	366723304500
Drawer unit SD-300	372 x 486 x 500	366723305600
Drawer unit SD-150	372 x 486 x 500	366723706700



### ESD Drawer Units SDK-Series

☀ Loading capacity: 35kg/drawer, opens 100%  
☀ Divider of drawer is optional

Description	Size(mm)	Code No.
Drawer unit SDK-200	500 x 650 x 346	366723507850

### Workshop Drawer Units H-301

☀ Loading capacity: 100kg/drawer, opens 80%  
☀ Drawers: 1 x 50mm, 1 x 100mm, 1 x 150mm  
☀ Divider combination is optional

Description	Size(mm)	Code No.
Workshop Drawer Units H-301	550 x 715 x 370	366744100200

### ESD Drawer Cabinet

- ☀ Loading capacity of each layer: 35kg
- ☀ With adjustment screws/base for standard alone solution or with casters for a mobile version
- ☀ The drawer unit can be also be attached to the worksurface, all the drawer units have central locking

Model	Description	Size(mm)	Code No.
GA-301	Adjustment screw	585 x 372 x 578	366818202400
GA-302	2" ESD Casters x 4	585 x 372 x 622	366818203400
GA-303	3" ESD Casters	585 x 372 x 663	366818204400
GB-304	Adjustment screw	585 x 372 x 730	366825101310
GB-305	2" ESD Casters x 4	585 x 372 x 774	366825102418
GB-306	3" ESD Casters	585 x 372 x 815	366825103518
GB-307	With base	585 x 372 x 740	366825104610
ⓐ	Drawer divider	310 x 100	367016103400
ⓑ	Document holder	310 x 50	367016105600





## Drawer Units

☀ Loading capacity: 35kg/drawer, opens 100%

- ◆ **Drawer Units GA-301**
  - ◆ Size(W × D × H) mm: 372 × 585 × 578
  - ◆ Drawer 3 × 150mm | 366816101210 ESD Version

- ◆ **Drawer Cabinet GB-304**
  - ◆ Size(W × D × H) mm: 372 × 585 × 730
  - ◆ Drawer 2 × 150mm | 366823101310 ESD Version
  - ◆ Drawer 1 × 300mm



## Drawer Units GA-304

☀ Size(W × D × H): 500 × 650 × 720, Trolley Model: Height=760mm. Loading capacity: 35kg/drawer, opens 100%  
 ☀ Drawer divider is optional(Code No.: 366516104500)



- ◆ **Drawer Units D-300**
  - ◆ 500 × 650 × 760 | 366828100750

- ◆ **Drawer Units DK-051**
  - ◆ 500 × 650 × 760 | 366828101950

- ◆ **Drawer Units DK-052**
  - ◆ 500 × 650 × 760 | 366828102850

## Drawer Units Trolley Model D-Series

☀ Size(W × D × H): 500 × 650 × 720(Trolley Model: Height=875mm)  
 ☀ Loading capacity: 35kg/drawer, opens 100%



- ◆ **Drawer Units Trolley Model D-300**
  - ◆ Drawer 2 × 160mm | 366829124058
  - ◆ Drawer 1 × 320mm | Heavy-duty roller cabinets

- ◆ **Drawer Units Trolley Model DK-051**
  - ◆ 366828104258 Heavy-duty roller cabinets

- ◆ **Drawer Units Trolley Model DK-052**
  - ◆ 366828104058 Heavy-duty roller cabinets

## Roller Cabinets D-series

☀ Worksurface size(W × D × H): 1200 × 700 × 50  
 ☀ Cabinet size(W × D × H): 500 × 650 × 715 (Trolley Model: Height=865mm)  
 ☀ Drawer divider is optional, fitted with varied panels, details also see page 17



- ◆ **Roller Cabinets DK-051/DK-052**
  - ◆ 1200 × 700 | 581864401100
  - ◆ With uprights | 581875401100

- ◆ **Roller Cabinets D-300/DK-052**
  - ◆ 1200 × 700 | 581864403300
  - ◆ With uprights | 581875403300

- ◆ **Roller Cabinets 2×D-300**
  - ◆ 1200 × 700 | 581864404400
  - ◆ With uprights | 581875404400

## Workshop Roller Cabinets H660

☀ Size(W × D × H): 550 × 715 × 660mm (Trolley model: 830mm)  
 ☀ Interior combination is optional




- ◆ **Workshop Drawer Units H-501 / Trolley Model**
  - ◆ Drawer 2 × 50mm | 366875103400 H-duty cabinet
  - ◆ Drawer 1 × 100mm | 366875108900 H-duty roller cabinet
  - ◆ Drawer 1 × 150mm
  - ◆ Drawer 1 × 250mm

- ◆ **H-602 Workshop Drawer Cabinet / Trolley Model**
  - ◆ Drawer 1 × 50mm | 366875102300 H-duty cabinet
  - ◆ Drawer 4 × 100mm | 366875107800 H-duty roller cabinet
  - ◆ Drawer 1 × 150mm

## Interior Combinations of Drawers

☀ Various of interior combinations which keep small items and tools organized  
 ☀ Drawers have divider grooves in both the depth and the width directions



Drawer	A	B	C	D	E	F
H=50	367030100100	367030101200	367030102300	367030103400	367030104500	367030105600
H=100	367030200200	367030201300	367030202400	367030203500	367030204600	367030205700
H=150/200	367030300300	367030301400	367030302500	367030303600	367030304700	367030305800





Code No.: 58204111800

### Roller Cabinet MG-700 >

Description	W x D x H (mm)	Qty.	Loading Capacity(kg)
Cabinet(With 5" casters)	680 x 458 x 838	1	400
Drawer H80	572 x 400 x 80	3	40
Drawer H165	572 x 400 x 165	2	80

### Roller Cabinet MG-800 >

- e-FLEX MG series have high loading capacity, Made of steel plate with durable painting
- Drawer fitted with BBS rails
- Loading capacity(fitted with one pair of rails): 40kg/drawer
- Loading capacity(fitted with two pair of rails): 80kg/drawer

Description	W x D x H (mm)	Qty.	Loading Capacity(kg)
Cabinet(With 5" casters)	747 x 462 x 1000	1	600
Drawer H80	583 x 427 x 80	5	40
Drawer H146	583 x 427 x 146	2	80



Code No.: 582041112200



### Roller Cabinet BG-1100 >

- Code No.(W/O uprights): 582021112600
- Code No.(With uprights): 582022112600

Description	W x D x H (mm)	Qty.	Loading Capacity(kg)
Cabinet(With 6" Casters)	1062 x 560 x 1117	1	600
Drawer H180 top	962 x 498 x 180	1	80
Drawer H80 left	580 x 498 x 80	2	40
Drawer H135 left	580 x 498 x 135	2	80
Drawer H155 left	580 x 498 x 155	1	80
Drawer H113 inside	352 x 473 x 113	2	40

### Roller Cabinet BG Series >

- The e-FLEX drawer forms the most compact storage possible. The modular system available in different variations compliments e-FLEX workbench
- Loading capacity(fitted with one pair of rails): 40kg/drawer, loading capacity(fitted with two pair of rails): 80kg/drawer
- Drawers have BBS rails and a safety locking system
- Made of steel plate with durable dark blue painting



### Roller Cabinet BG-1500 >

- Code No.(W/O uprights): 582021113400
- Code No.(With uprights): 582022113400

Description	W x D x H (mm)	Qty.	Loading Capacity(kg)
Cabinet( With 6" Casters)	1423 x 560 x 1193	1	600
Drawer H184 Top/Left	778 x 498 x 184	1	80
Drawer H184 Top/Right	512 x 498 x 184	1	80
Drawer H132 Left	778 x 498 x 132.4	5	80
Drawer H103 Inside	506 x 473 x 103.5	1	40
Drawer H127 Inside	506 x 473 x 127.5	1	80

### Roller Cabinet BG-1000 >

- Code No.(W/O uprights): 582021112000
- Code No.(With uprights): 582022112000

Description	W x D x H (mm)	Qty.	Loading Capacity(kg)
Cabinet(With 6" casters)	915 x 560 x 1117	1	600
Drawer H90	815 x 498 x 90	2	40
Drawer H130	815 x 498 x 130.5	3	80
Drawer H211	815 x 498 x 211.5	1	80







ESD Trolley TB-19E >

Size(mm)	Loading Capacity(kg)	Code No.
800 x 600	300	581623119908



ESD Motor Trolley TB-20E >

Diameter(mm)	Loading Capacity(kg)	Code No.
600	50	581623121008



Mute Trolley TB-25 >

Size(mm)	Loading Capacity(kg)	Code No.
910 x 600 x 890	300	581623126000



Mute trolley with upper shelf TB-26 >

Size(mm)	Loading Capacity(kg)	Code No.
910 x 600 x 920	300	581623126400



ESD/Heavy-Duty Trolley TB-21E >

Size(mm)	Loading Capacity(kg)	Code No.
800 x 600 x 750	300	581623122108



ESD/Heavy-Duty Trolley TB-22E >

Size(mm)	Loading Capacity(kg)	Code No.
800 x 600 x 750	300	581623123208



Mechanics Mobile Service Cart TB-27 >

Size(mm)	Loading Capacity(kg)	Code No.
830 x 450 x 920	150	581623126800



ESD Tray Trolley with front stop TB-28 >

Size(mm)	Loading Capacity(kg)	Code No.
630 x 630 x 1500(Trolley)	1	581623127200
545 x 595 x 35((ESD Tray)	16	905936110900



ESD light-duty Tool Cart TB-23E >

Size(mm)	Loading Capacity(kg)	Code No.
650 x 450 x 775	25	581623124308



ESD/Middle-duty Tool Cart TB-24E >

Size(mm)	Loading Capacity(kg)	Code No.
730 x 450 x 905	45	581623125800



Metal Chrome Plated Mesh Shelf/Cart TB-29 >



Metal Chrome Plated Mesh Shelf/Cart TB-30 >





Combination No.: 3701

### Workshop Trolley TB-14E

☀ Loading capacity: 300kg, evenly loaded

Description	Size(mm)	ESD or Not	Code No.
ESD Trolley W800	800 x 600 x 1700	ESD	581623114408
ESD Trolley W1200	1200 x 600 x 1700	ESD	581612115300
Trolley W800	800 x 600 x 1700	Workshop	581623114408
Trolley W1200	1200 x 600 x 1700	Workshop	581623114808

Single-Sided ①	Size(mm)	Main Section	Extension Section
	M750 x 400 x 1500	582311100100	582311204500
	M900 x 400 x 1500	582311101200	582311205600
	M750 x 400 x 1850	582311102300	582311206700
	M900 x 400 x 1850	582311103400	582311207800

Double-Sided ②	Size(mm)	Main Section	Extension Section
	M750 x 600 x 1500	582322100100	582322104500
	M900 x 600 x 1500	582322101200	582322105600
	M750 x 600 x 1850	582322102300	582322106700
	M900 x 600 x 1850	582322103400	582322107800

Mobile ③	Size(mm)	Main Section
	M750 x 600 x 1500	583022200208
	M900 x 600 x 1500	583022201308
	M750 x 600 x 1850	583022202408
	M900 x 600 x 1850	583022203508


### Industrial Screening/Trolley

☀ With adjustment screws for standard alone solution or with casters for a mobile version



Single-Sided

Combination No.: 3702



Double-Sided

Combination No.: 3703



Double-Sided

Combination No.: 3704



Mobile

Combination No.: 3705



Combination No.: 3801

### Heavy-duty Trolley TB-13

☀ Loading capacity: 300kg, evenly loaded

Description	Size(mm)	ESD/Workshop	Code No.
M750	780 x 750 x 1600	ESD	581622113308
M900	930 x 750 x 1600	ESD	581622113808
M750	780 x 750 x 1600	Workshop	581611113400
M900	930 x 750 x 1600	Workshop	581611113900

### Heavy-duty Trolley TB-15

☀ Loading capacity: 300kg, evenly loaded

Description	Size(mm)	ESD/Workshop	Code No.
M750	800 x 720 x 1390	ESD	581622115508
M900	1000 x 720 x 1390	ESD	581622116208
M750	800 x 720 x 1390	Workshop	581611115600
M900	1000 x 720 x 1390	Workshop	581611116100



Combination No.: 3802




Combination No.: 3803

### Multi-Trolley TB-17E

Size(mm)	Loading Capacity(kg)	Code No.
M750 x 750 x 1600	350	581623117708
M900 x 750 x 1600	350	581623117808





### Wall Panel

Size(mm)	Perforated	Suspension
949 x 988	363805100308	364161101108
949 x 1445	363805100608	364161101508
1445 x 949	363805100908	364161102108

### Hook HK-1

L(mm)	A(mm)	Code No.
25	6	851101112300
50	6	851101111200
75	6	851101110100

### Hook HK-2

L(mm)	A(mm)	Code No.
25	6	851401122400
50	6	851401121300
75	6	851401120200

### Hook HK-3

L(mm)	A(mm)	Code No.
50	4	851701133600
100	4	851701134700
200	6	851701132500

### Hook HK-4

L(mm)	A(mm)	Code No.
50	4	852001143700
100	4	852001144800
200	6	852001142600

### Hook HK-5

L(mm)	A(mm)	Code No.
50	6	852601160600
100	6	852601161700
150	6	852601162800

### Hook HK-11

H(mm)	L(mm)	Code No.
60	100	854401120300
60	150	854401121400
60	200	854401122500

### Hook HK-7

W(mm)	L(mm)	Code No.
35	25	853201180800
35	72	853201181900
55	25	853201183000

### Hook HK-8

Φ(mm)	A(mm)	Code No.
60	6	853501190900
80	6	853501192000

### Hook HK-9

Φ(mm)	Code No.
100	853801101200

### Hook HK-10

L(mm)	A(mm)	Code No.
150	6	854101110200

### Hook HK-6

W(mm)	L(mm)	Code No.
240	138	852901170700

### Hook HK-12

L(mm)	Code No.
75	854701130400

### Hook HK-13

L(mm)	A(mm)	Code No.
55	6	855001140500

### Hook HK-14

L(mm)	Code No.
145	855301150600

### Hook HK-15

L(mm)	Code No.
370	855601160700

### Hook HK-16

W(mm)	H(mm)	Code No.
370	54	855901170800

### Hook HK-17

L(mm)	Code No.
195	856201180900

### Hook HK-18

W(mm)	L(mm)	Code No.
100	88	856501191000

### Hook HK-19

Φ(mm)	Code No.
25	856801180200

### Hook HK-20

Φ(mm)	Code No.
80	856901190900



Combination No.: 4001

### Industrial Screening

- With the help of a multitude of storage hooks, e-FLEX perforated plates from useful and versatile storage surfaces for tools and material.
- The Screening are either fitted to a wall, or to perforated uprights with separate fixing hooks

### Multi-trolley TB-18E

- Loading capacity: 300kg, evenly loaded

Size(mm)	ESD/Workshop	Code No.
M750 x 750 x 1600	ESD	581623118808
M900 x 750 x 1600	ESD	581623118908
M750 x 750 x 1600	Workshop	581612118900
M900 x 750 x 1600	Workshop	581612119000



Combination No.: 4002





### Y-1 Round Stool ESD

- Low 452301100108
- High 452303100308



### Y-2 Sit stand Stool ESD

- Low 452301101208
- High 452303101408



### Y-4 Polyurethane Chair ESD

- Low 452301101808
- High 452303102008



### Y-5 Polyurethane Chair ESD

- Low 452301102808
- High 452303103008



### Y-6 Polyurethane Chair ESD

- Low 452301103408
- High 452303103608



### Y-7 Electronic Cloth Chair

- Low 483001200108
- High 483003200308



### Y-8 Cleanroom Chair ESD

- Low 455401500168
- High 455403500368



### Y-9 Polyurethane Chair ESD

- Low 455401500188
- High 455403500388



### Pick Up Boxes With Divider

W x D x H	Blue	Black	Model
400 x 117 x 90	812301101250	812302201368	A
500 x 117 x 90	812301102350	812302202468	A
460 x 162 x 115	812301113350	811601110108	B

### Plastic Bins

- Red, Blue and Black colour are available as options
- The black one is conductive, the conductive range:  $10^3 \Omega - 10^6 \Omega$

Description	Size(mm)	Red	Blue	Black
S	140 x 105 x 75	362901100840	362921104350	362941107868
M	190 x 105 x 75	362901101540	362921105050	362941108568
L	220 x 140 x 125	362901102240	362921105750	362941109268
XL	270 x 140 x 125	362901102940	362921106450	362941109968

### Plastic Container/Plastic Container Cart

Outside Size(mm) W x D x H	Inner Size(mm) W x D x H	Standard Bottom	Reinforced Bottom
300 x 200 x 150	255 x 155 x 125	813001120208	
400 x 300 x 215(220)	355 x 255 x 190	813001122408	813002131408
400 x 300 x 280(285)	355 x 255 x 225	813001123508	813002132508
600 x 400 x 150(155)	555 x 355 x 125	813001124608	813002133608
600 x 400 x 280(285)	555 x 355 x 225	813001126808	813002135808





## Industrial Cabinet ESD

The colour of ESD cabinet: grey, the colour of Non-ESD cabinet: light-grey



CH-1 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1064

Thickness(mm)	ESD	Non-ESD
0.8	761608100108	762308100100
1.0	761610200108	762310200100



CH-2 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1064

Thickness(mm)	ESD	Non-ESD
0.8	761608100808	762308100800
1.0	761610200808	762310200800



CH-3 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1064

Thickness(mm)	ESD	Non-ESD
0.8	761608101508	762308101500
1.0	761610201508	762310201500



CH-10 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608106408	762308106400
1.0	761610206408	762310206400



CH-11 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608107108	762308107100
1.0	761610207108	762310207100



CH-12 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800


Thickness(mm)	ESD	Non-ESD
0.8	761608107808	762308107800
1.0	761610207808	762310207800



CH-4 Chest

Size(mm): 900 x 510 x 1800


Thickness(mm)	ESD	Non-ESD
0.8	761608102208	762308102200
1.0	761610202208	762310202200



CH-5 Chest

Size(mm): 900 x 510 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608102908	762308102900
1.0	761610202908	762310202900



CH-6 Shoe Storage Cabinet

Size(mm): 900 x 380 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608103608	762308103600
1.0	761610203608	762310203600



CH-13 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608108508	762308108500
1.0	761610208508	762310208500



CH-14 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608109208	762308109200
1.0	761610209208	762310209200



CH-19 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608112608	762308112600
1.0	761610212608	762310212600



CH-7 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608104308	762308104300
1.0	761610204308	762310204300



CH-8 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608105008	762308105000
1.0	761610205008	762310205000



CH-9 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608105708	762308105700
1.0	761610205708	762310205700



CH-16 Industrial Cabinet ESD

Size(mm): 1200 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608110608	762308110600
1.0	761610210608	762310210600



CH-17 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608111308	762308111300
1.0	761610211308	762310211300



CH-18 Industrial Cabinet ESD

Size(mm): 900 x 440 x 1800

Thickness(mm)	ESD	Non-ESD
0.8	761608112008	762308112000
1.0	761610212008	762310212000





◆ High Density Shelving 1100 x 330 x 1760  
◆ Plastic boxes size(mm): 270 x 140 x 125

Description	Qty.	ESD	Non-ESD
Cabinet	1	729322101208	729339101400
Plastic Bin	70	362941109968	362921106450



◆ High Density Shelving 1050 x 500 x 1700  
◆ Plastic boxes size(mm): 162 x 460 x 115

Description	Qty.	ESD	Non-ESD
Cabinet	1	729311101208	729330101400
Plastic Bin	60	811601110108	811601111200



◆ High Density Shelving 1100 x 330 x 1760  
◆ Plastic boxes size(mm): 270 x 140 x 125

Description	Qty.	ESD	Non-ESD
Cabinet	1	729311100108	729330100300
Plastic Bin	70	362941109968	362921106450



### Documents/Accessories Cabinet

- It is easy to adjust the space with the two removable partition boards included in each drawer
- The classified color labels can be attached to the drawers for simple identification of the different storage items

Cabinet size(mm)	Colour of Bin	Door	Bins	Qty.	Code No.
880 x 600 x 283	Transparent	N	L	30	729851100470
880 x 600 x 283	Blue	N	L	30	729851101150
925 x 640 x 340	Transparent	Y	L	30	729821102570
925 x 640 x 340	Blue	Y	L	30	729821103250
880 x 600 x 243	Transparent	N	M	40	729851104670
880 x 600 x 243	Blue	N	M	40	729851105350
925 x 640 x 300	Transparent	Y	M	40	729821106770
925 x 640 x 300	Blue	Y	M	40	729821107450
880 x 580 x 230	Transparent	N	S	75	729851108870
880 x 580 x 230	White	N	S	75	729851109500
925 x 620 x 283	Transparent	Y	S	75	729821110970
925 x 620 x 283	White	Y	S	75	729821111600

Note:   
 • Boxes size(L): 78 x 164 x 282   
 • Boxes size(M): 78 x 117 x 242   
 • Boxes size(S): 47 x 101 x 220   
 • The transparent colour of drawer is made of PS which shall do not put oil, Drawer Size in inner size



◆ CL-4 Industrial Workshop Cabinet  
◆ Size(mm): 1000 x 600 x 1800

Thickness(mm)	ESD	Non-ESD
1.0	763410202258	763710202258
1.2	763412302258	763712302258



◆ CL-5 Industrial Workshop Cabinet  
◆ Size(mm): 1200 x 600 x 1800

Thickness(mm)	ESD	Non-ESD
1.0	763410202958	763710202958
1.2	763412302958	763712302958



◆ CL-6 Industrial Workshop Cabinet  
◆ Size(mm): 1000 x 600 x 1800

Thickness(mm)	ESD	Non-ESD
1.0	763410203658	763710203658
1.2	763412303658	763712303658



◆ CL-8 Industrial Workshop Cabinet  
◆ Size(mm): 1000 x 600 x 1800

Thickness(mm)	ESD	Non-ESD
1.0	763410205058	763710205058
1.2	763412305058	763712305058



◆ CL-14 Industrial Workshop Cabinet  
◆ Size(mm): 1000 x 400 x 1800

Thickness(mm)	ESD	Non-ESD
1.0	763410209258	763710209258
1.2	763412309258	763712309258



◆ CL-16 Industrial Workshop Cabinet  
◆ Size(mm): 1000 x 600 x 1800

Thickness(mm)	ESD	Non-ESD
1.0	763410210658	763710210658
1.2	763412310658	763712310658





## ESD Testing Shelving

Testing shelving used to test with aging test purposes

Size mm(W x D x H)	ESD	Non-ESD
1200 x 500 x 1500	729648101208	729748101208
1500 x 500 x 1500	729648102608	729748102608
1800 x 500 x 1500	729648103508	729748103508
1200 x 600 x 1800	729648105508	729748105508
1500 x 600 x 1800	729648106208	729748106208
1800 x 600 x 1800	729648107008	729748107008



Combination No.: 4701

## First In First Out System

- e-FLEX FIFO system is the modular design, adjustable roller spacing, in order to adapt to the different size of bins
- FIFO system can cooperate with all kinds of e-FLEX standard workbench, forming a complete storage, assembling workstation

Size(mm)	ESD Code No.	Non-ESD Code No.
2M750 x 1300 x 2000	784411100108	784422100200
2M900 x 1300 x 2000	784411101208	784422101300
3M750 x 1300 x 2000	784411102308	784422102400
3M900 x 1300 x 2000	784411103408	784422103500
2M750 x 1700 x 2000	784411104508	784422104600
2M900 x 1700 x 2000	784411105608	784422105700
3M750 x 1700 x 2000	784411106708	784422106800
3M900 x 1700 x 2000	784411107808	784422107900



Combination No.: 4801

## Medium-duty Industrial Shelving

- Loading capacity: 250kg, 500kg, evenly loaded
- Special size or loading capacity is available

Size mm(W x D x H)	Shelves	ESD	Non-ESD
1200 x 500 x 1500	5	723115500308	723515500300
1500 x 500 x 1500	5	723115502508	723515502500
1800 x 500 x 1500	5	723115504708	723515504700
1200 x 600 x 1800	5	723118501308	723518501300
1500 x 600 x 1800	5	723118503508	723518503500
1800 x 600 x 1800	5	723118505708	723518505700
2000 x 600 x 1800	5	723118507908	723518507900
1200 x 600 x 2000	5	723120501308	723520501300
1500 x 600 x 2000	5	723120503508	723520503500
1800 x 600 x 2000	5	723120505708	723520505700
2000 x 600 x 2000	5	723120507908	723520507900



Combination No.: 4702

## Heavy-duty Industrial Shelving

- Loading capacity: 1000kg, 2000kg, 3000kg, evenly loaded

Size mm(W x D x H)	Beams(Pair)	ESD	Non-ESD
2000 x 600 x 1800	3	725112506308	725512506300
2000 x 600 x 2000	4	725114606308	725514606300
2000 x 1000 x 2000	3	725114607008	725514607000
2500 x 1000 x 2500	4	725116608508	725516608500



Medium-Duty Shelving



Medium-Duty Shelving



Shelving With Side-panels



Heavy-Duty Shelving



Steel-Made Platform





## Transfer Line >

- e-FLEX transfer lines are available in 3 standards offering
- Manual transfer system: metal balling line, Rails line and Rollers line
- Automatic transfer line: flat-belt line, power-rollers transfer, speed chain line and chains line
- Semi-Auto transfer line: a combination of MTS and auto transfer line



Combination No.: 4901

## Roller Transfer Line >

- Unpowered roller and powered roller are available as options.
- Standard roller and roller with ribs are optional

### 304 Stainless Steel Roller

- Used in wet, corrosive environment, or in electronic, pharmaceutical industry

### Chrome Carbon Steel Roller

- Heavy-duty, low noise, durable, suitable for any working environment


Model	Roller	Code No.	Model	Roller	Code No.
SS-252010	Φ25 x 2.0 x Φ10	782348102300	TG-381512	Φ38 x 1.5 x Φ12	782348400400
SS-382012	Φ38 x 2.0 x Φ12	782348105600	TG-501512	Φ50 x 1.5 x Φ12	782348401500
SS-502012	Φ50 x 2.0 x Φ12	782348107800	TG-502012	Φ50 x 2.0 x Φ12	782348403700
SS-572012	Φ57 x 2.0 x Φ12	782348111100	TG-572012	Φ57 x 2.0 x Φ12	782348408100
SS-602012	Φ60 x 2.0 x Φ12	782348114400	TG-602512	Φ60 x 2.5 x Φ12	782348414700
SS-762015	Φ76 x 2.0 x Φ15	782348116600	TG-763015	Φ76 x 3.0 x Φ15	782348419100




Speed Chain transmission



Chains Transmission



Roller Transmission



Flat-Belt Transmission




Combination No.: 5001

## Flat-belt Transfer Line >

- Flat belt conveyor can be fitted with all e-FLEX workbenches.
- These workbenches offer a greater variation of sizes and step less height adjustment.
- Loading capacity ranges from 100kg to 500kg and extension models are readily available
- Belt Transfer Speed (per second): 13.0mm(0.5") to 254.0mm(10.0")
- Control Module: PLC (Programmable Logic Controller)








Combination No.: 5101


### Multi-line assembly solutions

- Multiline is a combination of transfer lines and workbenches, By connecting workbenches to a transfer line you may achieve a more flexible and efficient material flow between workbenches without sacrificing characteristics such as usability or ergonomics
- The transfer line and the modular design, can according to production demand growth or shortened
- Please contact our specialists for more information



Combination No.: 5102

Description	Size(mm)	Code No.
1000 straight module	1000	781622100200
1530 straight module	1530	781622102400
2000 straight module	2000	781622104600
Cross module	450 x 450	781630101400
90° corner module	450 x 450	781630103600
T-Shape module	450 x 450	781630105800
Side module	1570 x 750	781630108000



Combination No.: 5201

### Manual Transfer System(MTS)

- MTS helps reduce investment cost, it is integrated with any e-FLEX existing workbench
- As a modular design, MTS makes it easy to adopt to any situation and space, it can also be easily and quickly modified when the layout changes

